

## 1: Identification of the substance / company information

1.1 Product identifier

Commercial product name: DiverSol® 628

Product identifier: Vinyl acetate-ethylene copolymer emulsion

CAS No.: 24937-78-8

1.2 Manufacturer / Supplier Identification

Manufacturer/distributor: Yunnan Zhengbang Technology Co., Ltd

Street/POB-No.: No.8 road, Haikou industrial park, Haikou town, Xishan district,

Kunming, Yunnan province

Postal code/city: 650224 Kunming

Country: P.R. China

Web: www.ynzhengbang.com

1.3 Emergency telephone number

Telephone: +86 871 63332488
Telefax: +86 871 63859977

## 2: Hazards identification

#### 2.1 Hazards Category

May cause an allergic skin reaction.

### 2.2 Other

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3: Composition / Information on ingredients

Chemical characteristics	Mixtures					
Description: Mixture: consisting	scription: Mixture: consisting of the following components					
	CAS No.:	55965-84-9				
	Chemical formula:	3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with				
		2-methyl-3(2H)-isothiazolone				
	Hazardous:	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331				
		Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chron				
Dangerous Components		H410; Skin Sens. 1, H317				
	Concentration:	≤0.0035%				
	Substance Name:	vinyl acetate				
	CAS No.:	108-05-4				
	Hazardous:	Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332; STOT				
		SE 3, H335; Acute Tox. 5, H303; Aquatic Chronic 3, H412				
	Concentration:	0.5%max				
Non-Hazardous Components	Substance Name:	Vinyl acetate-ethylene copolymer emulsion				



CAS No.: 24937-78-8 Concentration: 62%max

Substance Name: Water

CAS No.: 7732-18-5 Concentration: 38%min

## 4: First aid measures

**4.1 Skin Contact:** Rinse cautiously with water for several minutes.

4.2 Eye Contact: Rinse opened eye for 15 minutes under running water. If symptom persists consult a doctor.
4.3 Inhalation: Remove from exposure area to fresh air immediately. Give artificial respiration if no breathing.

Get immediate medical attention.

4.4 Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help

immediately.

## 5: Fire aid measures

#### 5.1 Suitable extinguishing

media

This product is non-flammable under normal circumstances. Water, foam, carbon dioxide can be used to extinguish fire.

#### 5.2 Chemical special risks

Combustion of dried-up substance will release carbon oxides (CO, CO<sub>2</sub>).

#### 5.3 Advice for firefighters

Use water spray to cool unopened containers.

## 5.4 Special protective equipment for fire fighting

If necessary, wear fully protective suit and air respirator.

## 6: Accidental release measures

## 6.1 Person-related precautionary measure

Wear protective equipment; Ensure good ventilation and local exhaustion of the working area; Keep unprotected persons away.

## 6.2 Methods and material for containment and cleaning up

Collect, bind, and pump off spills. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Allow to solidify. Pick up mechanically.

#### 6.3 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

## 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure adequate ventilation. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Storage

Requirements to be met by storerooms and receptacles: Store in cool, dry place in tightly closed receptacles. storage conditions: Store at 5 °C to 40 °C.

## 8: Exposure controls/personal protection

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.



#### 8.1 General protective and hygienic measures

Wash hands before breaks and at the end of work.

#### 8.2 Breathing system protection

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Short term filter device:Filter A/P2

### 8.3 Eye protection



Safety glasses with side shields conforming to EN166, ANSI 87.1-2010, or equivalent.

## 8.4 Hand protection



Protective gloves

The selected protective gloves have to satisfy the specifications of standard EN 374 or its equivalent.

Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility etc) is noticed.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### 8.5 Body protection

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 9: Physical and chemical properties

Form:	Liquid Emulsion	Color:	Whitish
Odor:	faint	Odour threshold:	Not determined
pH value:	4.0-7.0	Flash point:	Not applicable
Melting point/Melting range:	Undetermined	Boiling point/Boiling range:	Undetermined
Flammability:	Not determined	Decomposition temperature:	Not etermined
Autoignition temperature:	Not applicable	Explosion limits:	Not etermined
Vapour pressure:	Not applicable	Density	1.07 g/cm <sup>3</sup>
Relative density:	Not determined	Viscosity:	500-4000 mPa.s
Solubility in water:	Fully miscible		

## 10: Stability and reactivity

#### 10.1 Reactivity

When properly handled and stored, no dangerous reaction is known.

## 10.2 Stability

This material is considered stable under specified conditions of storage, shipment and / or use.

#### 10.3 Conditions to avoid

Protect from heat. Keep ignition sources away.

#### 10.4 Incompatible materials

Strong oxidizing agents.

## 10.5 Hazardous decomposition products

Thermal decomposition may yield the following: -carbon monoxide, -carbon dioxide.



## 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity: Not classified based on available data.

Skin corrosion/irritation: Not classified based on available data.

Serious eye damage/eye irritation: Not classified based on available data.

Respiratory or skin sensitization: May cause an allergic skin reaction. Contributing component: Biocide/fungicide

(CAS No. 55965-84-9)

Germ Cell Mutagenicity: Not classified based on available data.

**Carcinogenicity:** Not classified based on available data. This product contains an impurity, vinyl acetate (CAS No. 108-05-4). IARC classified vinyl acetate as carcinogen Group 2B (Possibly carcinogenic to humans). The concentration of the impurity is below classifying threshold of 1,0 %. IARC 2B is a classification for possible human carcinogen based on sufficient ev idence on carcinogenicity in experimental animals, but inadequate evidence for cancer in exposed humans.

Reproductive Toxicity: Not classified based on available data.

Specific Target Organ Toxicity - Single Exposure (STOT SE): Not classified based on available data.

Specific Target Organ Toxicity - Repeated Exposure (STOT RE): Not classified based on available data.

Aspiration Hazard: Not classified due to lack of data.

Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization: May cause an allergic skin reaction.

## 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Not classified based on available data.

## 12.2 Persistence and degradability

No further relevant information available.

#### 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

## 13: Disposal considerations

#### 13.1 Waste treatment methods

Observe local/state/federal regulations.

### 13.2 Uncleaned packaging

Containers may be recycled or re-used after thorough and proper cleaning. Observe local/state/federal regulations.

## 14: Transport information

Dangerous goods code:Not regulatedUN Number:Not regulatedUN proper shipping name:Not regulatedTransport hazard class:Not regulatedCategories of packing:Not regulated

**Cautions during transportation:** Complete package. Avoid solarization, and high temperature.



## 15: Regulatory information

#### 15.1 Status of global inventories

China - IECSC

Europe-ELINCS

Australia - AICS

Korea - KECI

New Zealand-NZIOC

United States-TSCA

Canada-DSL

Japan-ENCS

Philippines-PICCS

Taiwan-ECSN

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### 16: Other information

#### 16.1 Abbreviations and acronyms

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European LIst of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 5: Acute toxicity, Hazard Category 5

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### 16.2 General Disclaimers

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements. The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

#### 16.3 Further information

None

- End of Safety Data Sheet -





## 1: Identification of the substance / company information

1.1 Product identifier

Commercial product name: DiverSol® 688

Product identifier: Vinyl acetate-ethylene copolymer emulsion

CAS No.: 24937-78-8

1.2 Manufacturer / Supplier Identification

Manufacturer/distributor: Yunnan Zhengbang Technology Co., Ltd

Street/POB-No.: No.8 road, Haikou industrial park, Haikou town, Xishan district,

Kunming, Yunnan province

Postal code/city: 650224 Kunming

Country: P.R. China

Web: www.ynzhengbang.com

1.3 Emergency telephone number

Telephone: +86 871 63332488
Telefax: +86 871 63859977

## 2: Hazards identification

#### 2.1 Hazards Category

May cause an allergic skin reaction.

### 2.2 Other

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Substance Name:

## 3: Composition / Information on ingredients

3.1	Chemical characteristics	Mixtures				
	Description: Mixture: consisting of the following components					
		CAS No.:	55965-84-9			
Dangerous Components		Chemical formula:	3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with			
			2-methyl-3(2H)-isothiazolone			
		Hazardous:	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331;			
			Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1,			
	Dangaraya Campananta		H410; Skin Sens. 1, H317			
	Dangerous Components	Concentration:	≤0.0035%			
		Substance Name:	vinyl acetate			
	CAS No.:	108-05-4				
	Hazardous:	Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332; STOT				
			SE 3, H335; Acute Tox. 5, H303; Aquatic Chronic 3, H412			
		Concentration:	0.5%max			

Non-Hazardous Components

Vinyl acetate-ethylene copolymer emulsion



CAS No.: 24937-78-8 Concentration: 62%max

Substance Name: Water

CAS No.: 7732-18-5 Concentration: 38%min

## 4: First aid measures

**4.1 Skin Contact:** Rinse cautiously with water for several minutes.

4.2 Eye Contact: Rinse opened eye for 15 minutes under running water. If symptom persists consult a doctor.
4.3 Inhalation: Remove from exposure area to fresh air immediately. Give artificial respiration if no breathing.

Get immediate medical attention.

4.4 Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help

immediately.

## 5: Fire aid measures

#### 5.1 Suitable extinguishing

media

This product is non-flammable under normal circumstances. Water, foam, carbon dioxide can be used to extinguish fire.

#### 5.2 Chemical special risks

Combustion of dried-up substance will release carbon oxides (CO, CO<sub>2</sub>).

#### 5.3 Advice for firefighters

Use water spray to cool unopened containers.

## 5.4 Special protective equipment for fire fighting

If necessary, wear fully protective suit and air respirator.

## 6: Accidental release measures

## 6.1 Person-related precautionary measure

Wear protective equipment; Ensure good ventilation and local exhaustion of the working area; Keep unprotected persons away.

## 6.2 Methods and material for containment and cleaning up

Collect, bind, and pump off spills. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Allow to solidify. Pick up mechanically.

#### 6.3 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

## 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure adequate ventilation. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Storage

Requirements to be met by storerooms and receptacles: Store in cool, dry place in tightly closed receptacles. storage conditions: Store at 5 °C to 40 °C.

## 8: Exposure controls/personal protection

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.



#### 8.1 General protective and hygienic measures

Wash hands before breaks and at the end of work.

#### 8.2 Breathing system protection

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Short term filter device:Filter A/P2

### 8.3 Eye protection



Safety glasses with side shields conforming to EN166, ANSI 87.1-2010, or equivalent.

## 8.4 Hand protection



Protective gloves

The selected protective gloves have to satisfy the specifications of standard EN 374 or its equivalent.

Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility etc) is noticed.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### 8.5 Body protection

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 9: Physical and chemical properties

Form:	Liquid Emulsion	Color:	Whitish
Odor:	faint	Odour threshold:	Not determined
pH value:	4.0-7.0	Flash point:	Not applicable
Melting point/Melting range:	Undetermined	Boiling point/Boiling range:	Undetermined
Flammability:	Not determined	Decomposition temperature:	Not etermined
Autoignition temperature:	Not applicable	Explosion limits:	Not etermined
Vapour pressure:	Not applicable	Density	1.07 g/cm <sup>3</sup>
Relative density:	Not determined	Viscosity:	500-2500 mPa.s
Solubility in water:	Fully miscible		

## 10: Stability and reactivity

#### 10.1 Reactivity

When properly handled and stored, no dangerous reaction is known.

## 10.2 Stability

This material is considered stable under specified conditions of storage, shipment and / or use.

#### 10.3 Conditions to avoid

Protect from heat. Keep ignition sources away.

#### 10.4 Incompatible materials

Strong oxidizing agents.

## 10.5 Hazardous decomposition products

Thermal decomposition may yield the following: -carbon monoxide, -carbon dioxide.



## 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity: Not classified based on available data.

Skin corrosion/irritation: Not classified based on available data.

Serious eye damage/eye irritation: Not classified based on available data.

Respiratory or skin sensitization: May cause an allergic skin reaction. Contributing component: Biocide/fungicide

(CAS No. 55965-84-9)

Germ Cell Mutagenicity: Not classified based on available data.

**Carcinogenicity:** Not classified based on available data. This product contains an impurity, vinyl acetate (CAS No. 108-05-4). IARC classified vinyl acetate as carcinogen Group 2B (Possibly carcinogenic to humans). The concentration of the impurity is below classifying threshold of 1,0 %. IARC 2B is a classification for possible human carcinogen based on sufficient ev idence on carcinogenicity in experimental animals, but inadequate evidence for cancer in exposed humans.

Reproductive Toxicity: Not classified based on available data.

Specific Target Organ Toxicity - Single Exposure (STOT SE): Not classified based on available data.

Specific Target Organ Toxicity - Repeated Exposure (STOT RE): Not classified based on available data.

Aspiration Hazard: Not classified due to lack of data.

Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization: May cause an allergic skin reaction.

## 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Not classified based on available data.

## 12.2 Persistence and degradability

No further relevant information available.

#### 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

## 13: Disposal considerations

#### 13.1 Waste treatment methods

Observe local/state/federal regulations.

### 13.2 Uncleaned packaging

Containers may be recycled or re-used after thorough and proper cleaning. Observe local/state/federal regulations.

## 14: Transport information

Dangerous goods code:Not regulatedUN Number:Not regulatedUN proper shipping name:Not regulatedTransport hazard class:Not regulatedCategories of packing:Not regulated

**Cautions during transportation:** Complete package. Avoid solarization, and high temperature.



## 15: Regulatory information

#### 15.1 Status of global inventories

China - IECSC

Europe-ELINCS

Australia - AICS

Korea - KECI

New Zealand-NZIOC

United States-TSCA

Canada-DSL

Japan-ENCS

Philippines-PICCS

Taiwan-ECSN

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### 16: Other information

#### 16.1 Abbreviations and acronyms

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European LIst of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 5: Acute toxicity, Hazard Category 5

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### 16.2 General Disclaimers

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements. The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

#### 16.3 Further information

None

- End of Safety Data Sheet -

